

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/17 07:43
S1	1	"5748543".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 10:31
S2	232	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 08:53
S3	187	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and @ad<"20011025"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 10:35
S4	112	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and @ad<"20011025") and (asic or (\$5processor))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 12:12
S5	75	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and @ad<"20011025") and (not (((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and @ad<"20011025") and (asic or (\$5processor))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 11:51
S6	26	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check)) and parity	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 12:23
S7	134	memory with (bistr or (self adj repair))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 12:23
S8	110	(memory with (bistr or (self adj repair))) and (ecc or error or parity or fault)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 12:24
S9	46	((memory with (bistr or (self adj repair))) and (ecc or error or parity or fault)) and (not bistr)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 13:03
S10	7779	@ad<"20011025" and (data with (check with bit))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 13:04
S11	6521	(@ad<"20011025" and (data with (check with bit))) and memory	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 13:04
S12	389	((@ad<"20011025" and (data with (check with bit))) and memory) and repair	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 13:05

S13	389	(((@ad<"20011025" and (data with (check with bit))) and memory) and repair) and (cell or line or bit or column or row)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 14:31
S14	84	bisr and @ad<"20011025"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 14:31
S15	32	(bisr and @ad<"20011025") and \$5processor	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 14:32
S16	17	((bisr and @ad<"20011025") and \$5processor) and(dram)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 15:12
S17	1099	barth.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 15:12
S18	24	barth.in. and ibm	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 15:13
S19	139	ellis.in. and ibm	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 15:14
S20	9	(ellis.in. and ibm) and jericho	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 15:14
S21	25	fifield.in. and ibm	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 15:16
S22	8716	matsumoto.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 15:16
S23	10	matsumoto-miki.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 15:46
S24	1	10/035,474	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 16:34
S25	2	((("5278839" or "4918692" or "5748543").pn.) and dram	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 08:39
S26	3	((("5278839" or "4918692" or "5748543").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 17:11
S27	1	"6691252".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/29 17:11

S29	0	((("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.) and busy	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 08:42
S30	0	((("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.) and normal with mode	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 08:43
S31	0	((("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.) and (normal with mode)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 08:43
S32	7	((("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424").pn.) and (normal)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 08:43
S33	37	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((normal with mode) or (busy with operation))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:17
S34	112	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((normal with (operation or mode)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:02
S35	2	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((busy with (signal or mode)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:03
S36	1	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((log\$4 with (error or fault))) and (busy with (signal or mode))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:05
S37	77	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((log\$4 with (error or fault)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:17
S38	6	((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((log with (error or fault)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:05
S39	295	((self adj repair)or(BISR)) and memory	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:17

S40	2	((self adj repair)or(BISR)) and memory) and (busy with (signal or mode))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:19
S41	130	((self adj repair)or(BISR)) and memory) and ((busy with (signal or mode)) or (normal with (mode or operation)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:20
S42	3	((self adj repair)or(BISR)) and memory) and ((busy with (signal or mode)) or (detect with (normal with (mode or operation))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 09:20
S43	8	((self adj repair)or(BISR)) and memory) and ((busy with (signal or mode)) or (detect\$3 with (normal with (mode or operation))))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 10:30
S44	2	((self adj repair)or(BISR)) and memory) and ((busy with (signal or mode)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 10:31
S45	529	((repair)or(BISR)) and memory) and ((busy with (signal or mode)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 10:31
S46	529	((repair)) and memory) and ((busy with (signal or mode)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 10:32
S47	55	((repair)) with memory) and ((busy with (signal or mode)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 10:32
S48	55	(repair with memory) and (busy with (signal or mode))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/05/03 10:33
S49	4010	(714/733 or 714/710 or 714/711 or 714/702 or 714/30 or 714/723 or 714/48 or 714/36 714/2 or 714/746).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/16 16:26
S50	24	S49 and ((self adj repair)or(BISR)) and memory and (fault or error or ecc or check) and ((normal with (operation or mode)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/16 16:28
S51	12	("6304989" or "5748543" or "5278839" or "4918692" or "6691252" or "6415403" or "4464747" or "6697290" or "6519735" or "5450424" or "4939694" or "6442083").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/03/16 17:09